



N5216E



Mooney 201

N5216E





Mooney 201

N5216E



Mooney 201

N52



SE

Lady Home For Sale
www.ladyhome.com
320.492.2276
320.743.2276

Pink sign on the wall



DO NOT PUSH

N15216E



N15216E

Mooney





Mooney 100

N5216E





N5216E





ANTH-ICE
OFF
DE-ICE
WINDSHIELD
DIM
COM 1 COM 2
TEL INT
EXT
1 COM 2
1 NAV 2
DME MIXR
ADF AUTO
MIC

ALTI TRACK
APOLLO

ELT ON
ARM

GUARD 121.5
USE STEP
EX 135 T50
CUMM
NAV
PULL BLAT

3 4 2
ADF ANT RFD
VOL
HOG
TEST

GREEN ON
IDENT
VFR
0 1 2 3 4 5 7 8 9
GTX SW
FUNC CRSR
START STOP
CLR

PANEL LIGHTS
GLARE SHIELD
PANEL



ALT FLD
5
ALT 70
BAT 70
PANEL SW BUS 50
ANN PANEL 2
VAC WARN 2
STALL WARN 2
GEAR WARN 2
GEAR ACT 15
ICE 75
TURN COORD 5
GEAR RELAY 5
FLARE WELD LIGHTS 0
HSI 2
FLAP ACT 5
NO PHONES 1
AUTO PILOT 5
XPOR 5
STORM SCOPE 4
RMI 2
SPARE 1

GPS 130
MENU
CDI OBS MSG RPL

DME
ON HDG
OFF TEST
REV UP
AFT UP

MIXTURE PUSH RICH

CONFL FLAPS FULL OPEN



NAV 2

PUSH R UP
GR SAFETY BY PASS ON



FS ENGINEERING
Pilot Co-Pilot
EM 1000.27
ISO ALL CREW
Volume Squawk

3M

OFF EPT

ENGINE INTERNATIONAL

ON

TIMER ENGINE TIME

STEP RESET

ELEV TRIM
PUSH ON
ELEV TRIM

HS1 SLAVE
HS1 FREE

HS2 MSG
HS2 FREE

ONE NAV 1
ONE NAV 2

BOOST PUMP
PUSH ON
BOOST PUMP

THROTTLE
PUSH INCREASE

PROP
PUSH INCREASE

MIXTURE
PUSH RICH

COWL FLAPS
PULL OPEN

WINDSHIELD

LIGHT ON OFF
WASH FLUID ON OFF

ANTH-ICE ON OFF
DE-ICE ON OFF

TEST DIM

COM 1 COM 2
TEL 1 COM 2 1 NAV 2 DME MKR ADF AUTO
MIC PAIR IN TYP

GREENH GNS 530

COMM VLOC

GPS

COI OBS MSG 1 FPL VNAV PROG

RMT FREQ GS/T

ES SA

SEND/RECV

ON HDG NAV APR REV
OFF TST ALT

CENTURY 800

ALTI TRK
APOLLO

ELT ON
AHM

WARNING
FOR BRACKET THE RED AND GREEN LIGHTS MUST BE OPERATED IN UNISON

GUARD 121.5

VSA STBY VSA STBY

KX 155 T50 CUMM NAV

PULL SELECT

3 14 2

HOG ADF ANT FFD VOL
TEST OFF

ON OFF

ALT OFF

1 2 3 4 5 6 7 8 9

LIGHTS
PANEL

REL RE LD



ALT FLP 5

ALT 70

ANN PANEL VAC WARN 2 2

CLUSTER GAGE IGM 2

IN COOL 1 10

COM 1 ENG ALT 10 1

COM 2 RAD BLOW 10 2

DME GPS 3 5



15210E

PUSH SEAT UP
OR SAFETY
OF PASS

ACTIVATOR

GUARD 121.5

NO SMOKING

FLIGHT INTO KNOWN OBSTACLE CONDITIONS IS PROHIBITED

ADD 40% OPERATION BETWEEN
800 & 850 MPH IN POWER SETTING
BELOW 10" HG MANIFOLD PRESSURE

E 8 16 24 F E 8 16 24 F 5 W 25 25 60 100 150 245 250 475
GALLONS GALLONS PSI 30 PSI 90 °F °F

PUSH GEAR
GR SAFETY BY PASS GEAR



CH 1000
ALL CREW



HSL SLAVE HSL FREE OPS MODE OPS NOT ONE NAV I ONE NAV J

BOOST PUMP

THROTTLE PUSH INCREASE

PROP PUSH INCREASE

RAM AIR PULL ON

PARK BRAKE PULL ON



PULL ON

NO SMOKING

FLIGHT INTO TERRESTRIAL CONDITIONS IS PROHIBITED

FLAPS UP

T R UP
I M

UP F L A P
TARE OFF

DOWN

DOWN

FLAPS DN

DEFROSTER PULL ON

CABIN HEAT PULL ON

FUEL ON

CHECK LIST

T	CONTROLS	RUN-UP	DOOR
A	FUEL	PROP	WINDOW
R	INSTRUMENTS	WING FLAPS	RAIN AIR
B	TRIM	SLAT LATCH	MIXTURE
S	DOWN FLAPS	SEAT/HARNES	BOOST PUMP

CONTACT TIME CHECK PRIOR TO FLIGHT,
SEE PILOT'S OPERATING HANDBOOK.

L	SEAT/HARNES	MIXTURE	SEAT
R	FUEL	WING FLAPS	PROP
S	BOOST PUMP	RAIN AIR	



FUEL SELECTOR

LEFT TANK 32 GAL

RIGHT TANK 32 GAL

OFF





DO NOT
SLAM DOOR
LOCKED



SALES TAX
REGISTRATION
SALES TAX
REGISTRATION
SALES TAX
REGISTRATION

FROM THE FOOTHILLS
OF HIMALAYAS TO
YOUR TABLE

ROYAL

BASMATI RICE
GROWN IN THE FERTILE
SOIL OF HIMALAYAS
FOOTHILLS AND NOURISHED
BY THE PURE WATER FROM
THE HIGHEST SNOW-COVERED
PEAKS IN THE WORLD

KUSHAN

1/15/10



